The Libman Company

LIBMAN 18 TO 1 CONCENTRATES #4007 & #4008

Prepared to U.S. OSHA

SECTION 1. PRODUCT IDENTIFICATION

1.1 TRADE NAME (AS LABELED): Libman 18 to 1 Concentrates

SYNONYMS: N/A CAS#: Mixture

1.2 PRODUCT USE: Used to clean surface from grim and dirt.

1.3 MANUFACTURER'S NAME: The Libman Company

ADDRESS: 220 North Sheldon Arcola, IL 61910

 BUSINESS PHONE:
 1-877-818-3380

 WEB SITE INFORMATION:
 www.libman.com

 1.4 EMERGENCY PHONE NUMBERS:
 1-877-818-3380

 DATE OF CURRENT REVISION:
 August 22, 2017

 DATE OF LAST REVISION:
 June 26, 2017

SECTION 2. HAZARD IDENTIFICATION

EMERGENCY OVERVIEW: This product is a clear liquid with a citrus odor.

Health Hazards: May cause mild skin and eye irritation.

Flammability Hazards: This product is considered a Non-Flammable liquid.

Reactivity Hazards: None.

Environmental Hazards: The environmental effects of this product have not been investigated, however release may

cause adverse environmental effects.

US DOT SYMBOLS CANADA (WHMIS) SYMBOL(S) EUROPEAN and (GHS) Hazard Symbol(s)

Non-Regulated
Not-Controlled
Not-Controlled

Material Not-Controlled Signal Word: None Applicable

2.1 GHS CLASSIFICATION:

This product does not meet the definition of a hazardous substance or preparation as defined by 29 CFR 1910. 1200

Component(s) Contributing to Classification(s)

All Components

2.2 LABEL ELEMENTS

GHS Hazard Classification(s):

Not Classified

Hazard Statement(s):

None Applicable

Precautionary Statement(s):

None Applicable

Response Statement(s):

None Applicable

Storage Statement(s):

None Applicable

Disposal Statement(s):

None Applicable

2.3 HEALTH HAZARDS OR RISKS FROM EXPOSURE:

SYMPTOMS OF OVEREXPOSURE BY ROUTE OF EXPOSURE: The most significant routes of overexposure for this product are by contact with skin or eyes. There is not data to support a GHS Hazard classification for this product but the following are potential hazards.

ACUTE:

INHALATION: Not expected under normal conditions. **CONTACT WITH SKIN:** May cause mild skin irritation.

EYE CONTACT: May cause mild eye irritation upon direct contact. **INGESTION:** May cause irritation of the gastrointestinal tract.

CHRONIC: No data available.

TARGET ORGANS: Acute: Eyes and Skin Chronic: No data available

The Libman Company

LIBMAN 18 TO 1 CONCENTRATES #4007 & #4008

SECTION 3. COMPOSITION AND INFORMATION ON INGREDIENTS

Hazardous Ingredients:	WT%	CAS#	EINECS#	Hazard Classification	
Sodium Laureth Sulfate	5-7%	9004-82-4	252-104-2	Eye Irritation Cat 2, Skin Irritation Cat 2	

Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

4. FIRST-AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES:

EYE CONTACT: If product enters the eyes, open eyes while under gentle running water for several minutes. Continue rinseing for at least 15 minutes. Seek medical attention if irritation persists.

SKIN CONTACT: Wash skin thoroughly after handling. Seek medical attention if irritation develops and persists.

INHALATION: If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention.

INGESTION: If product is swallowed, call physician or poison control center if you feel unwell. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Not data available

4.2 SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

None expected under normal conditions and use.

4.3 RECOMMENDATIONS TO PHYSICIANS:

Treat symptoms and eliminate overexposure.

SECTION 5. FIRE-FIGHTING MEASURES

5.1 FIRE EXTINGUISHING MATERIALS:

Use fire extinguishing methods below:

Water Spray:YesCarbon Dioxide:YesFoam:YesPry Chemical:YesHalon:YesOther:Any "C" Class

5.2 UNUSUAL FIRE AND EXPLOSION HAZARDS:

Irritating and toxic fumes may be produced at high temperature. Use of water may result in the formation of a toxic aqueous solution. Do not allow run-off from fire fighting to enter drains or water courses.

<u>Explosion Sensitivity to Mechanical Impact</u>: No <u>Explosion Sensitivity to Static Discharge</u>: No

5.3 SPECIAL FIRE-FIGHTING PROCEDURES:

Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

The Libman Company NFPA RATING SYSTEM

Health 1 0 Reactivity

LIBMAN 18 TO 1 CONCENTRATES #4007 & #4008 HMIS RATING SYSTEM



Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic hazard

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

Use cautious judgment when cleaning up spill. Wear suitable protective clothing, gloves and eye/face protection.

6.2 ENVIRONMENTAL PRECAUTIONS:

Construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils.

6.3 SPILL AND LEAK RESPONSE:

Small spills: Collect material via broom or mop. Place in tightly sealed containers for proper disposal.

Large spills: Approach spill areas with caution. If liquid was introduced, create a dike or trench to contain material. Soak up with absorbent material such as clay, sand or other suitable non-reactive material. Place in leak-proof containers. Seal tightly for proper disposal. Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

SECTION 7. HANDLING and STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING:

To prevent eye contact under the foreseeable conditions of use, wear appropriate safety eyewear. When handling, do not eat, drink, or smoke. Wash thoroughly after handling.

7.2 STORAGE AND HANDLING PRACTICES:

Keep away from: acids and oxidizing agents.

7.3 SPECIFIC USES:

Used to clean surface from grim and dirt.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 EXPOSURE PARAMETERS:

Chemical N	Name	CAS#	ACGIH TLV	OSHA TWA
Sodium Lauret	h Sulfate	9004-82-4	Not established	Not established

8.2 EXPOSURE CONTROLS:

VENTILATION AND ENGINEERING CONTROLS: Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

RESPIRATORY PROTECTION: Not required for properly ventilated areas. Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

EYE PROTECTION: Safety glasses or goggles are recommended. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.

The Libman Company

LIBMAN 18 TO 1 CONCENTRATES #4007 & #4008

HAND PROTECTION: Chemical resistant gloves are recommended to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

BODY PROTECTION: Use body protect appropriate to task being performed. If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136.

SECTION 9. PHYSICAL and CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

APPEARANCE (Physical State) and COLOR: This product is a clear liquid.

ODOR: Citrus odor

ODOR THRESHOLD: Not Available

pH: 6-8 when RTU

MELTING/FREEZING POINT: Not Available

BOILING POINT: Not available **FLASH POINT:** Not Available

EVAPORATION RATE (n-BuAc=1): Not Available **FLAMMABILITY (SOLID, GAS):** Not Applicable

UPPER/LOWER FLAMMABILITY OR EXPLOSION LIMITS: Not Available

VAPOR PRESSURE (mm Hg @ 20°C (68°F): Not Available

VAPOR DENSITY: Not Available RELATIVE DENSITY: Not Available

SPECIFIC GRAVITY: Approximately 1 when RTU

SOLUBILITY IN WATER: Soluble **WEIGHT PER GALLON:** Not Available

PARTITION COEFFICENT (n-octanol/water): Not Available

AUTO-IGNITION TEMPERATURE: Not Available **DECOMPOSITION TEMPERATURE:** Not Available

VISCOSITY: Not Available 9.2 OTHER INFORMATION:

No additional information available at this time.

SECTION 10. STABILITY and REACTIVITY

10.1 REACTIVITY:

This product is not reactive.

10.2 STABILITY:

Stable under conditions of normal storage and use.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS:

Will not occur.

10.4 CONDITIONS TO AVOID:

Avoid freezing and excessive temperatures.

10.5 MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE:

Acids and oxidizing agents.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS:

Not data available.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS:

TOXICITY DATA:

Sodium Laureth Sulfate CAS# 9004-82-4

Oral LD50 1600 mg/kg Rat

SUSPECTED CANCER AGENT: Ingredients within this product are not found on the following lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore are not considered to be, nor suspected to be, cancer-causing agents by these agencies.

IRRITANCY OF PRODUCT: This product may be irritating to skin and eyes.

SENSITIZATION TO THE PRODUCT: This product is not expected to cause skin sensitization.

The Libman Company

LIBMAN 18 TO 1 CONCENTRATES #4007 & #4008

REPRODUCTIVE TOXICITY INFORMATION: No specific information is available concerning the effects of this product and its components on the human reproductive system.

SECTION 12. ECOLOGICAL INFORMATION

12.1 TOXICITY:

No data available.

12.2 PERSISTENCE AND DEGRADABILITY:

No specific data available on this product.

12.3 BIOACCUMULATIVE POTENTIAL:

No specific data available on this product.

12.4 MOBILITY IN SOIL:

No specific data available on this product.

12.5 RESULTS OF PBT AND vPvB ASSESSMENT:

No specific data available on this product.

12.6 OTHER ADVERSE EFFECTS:

No data available.

12.7 WATER ENDANGERMENT CLASS:

May be water endangering in accordance with EU Guideline 91/155-EWG. Do not allow product to reach ground water, water course or sewage system. At present there are no ecotoxicological assessments for this product.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS:

Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

13.2 EU WASTE CODE:

Not determined.

SECTION 14. TRANSPORTATION INFORMATION

US DOT, IATA, IMO, ADR:

14.1 U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS: This product is not classified (per 49

CFR 172.101) by the U.S. Department of Transportation, as follows.

UN IDENTIFICATION NUMBER: Non-Regulated Material

PROPER SHIPPING NAME:

HAZARD CLASS NUMBER and DESCRIPTION:

None
PACKING GROUP:

None
DOT LABEL(S) REQUIRED:

None

NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER: None

RQ QUANTITY: None

14.2 ENVIRONMENTAL HAZARDS:

MARINE POLLUTANT: The components of this product are not designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).

14.3 SPECIAL PRECAUTION FOR USER: None.

14.4 INTERNATIONAL AIR TRANSPORT ASSOCIATION SHIPPING INFORMATION (IATA): This product is not considered as dangerous goods.

14.5 INTERNATIONAL MARITIME ORGANIZATION SHIPPING INFORMATION (IMO): This product is not considered as dangerous goods.

14.6 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND IBC CODE:

<u>EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD</u> (<u>ADR</u>): This product is not considered by the United Nations Economic Commission for Europe to be dangerous goods.

SECTION 15. REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS SPECIFIC FOR THE SUBSTANCE OR MIXTURE: UNITED STATES REGULATIONS:

U.S. SARA REPORTING REQUIREMENTS: The components of this product are subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act as follows: None

The Libman Company Page 5 of 6

The Libman Company

LIBMAN 18 TO 1 CONCENTRATES #4007 & #4008

U.S. SARA THRESHOLD PLANNING QUANTITY: There are no specific Threshold Planning Quantities for the components of this product. The default Federal SDS submission and inventory requirement filing threshold of 10,000 lbs (4,540 kg) therefore applies, per 40 CFR 370.20.

U.S. CERCLA REPORTABLE QUANTITY (RQ): None.

U.S. TSCA INVENTORY STATUS: The components of this product are listed on the TSCA Inventory or are exempted from listing.

OTHER U.S. FEDERAL REGULATIONS: None known

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65): This product does not contain ingredients on the Proposition 65 Lists.

SECTION 16. OTHER INFORMATION

PREPARED BY: Chris Eigbrett – (MSDS to GHS Compliance)

DATE OF PRINTING: August 22, 2017

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. The Libman Company assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, The Libman Company assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.

END OF SDS SHEET